

SAINT RITA OF CASCIA HIGH SCHOOL

An Augustinian College Prep School Veritas † Unitas † Caritas

Allergy History Form

(Return to Nurse/Designated School Personnel (DSP))

Dear Parent/Guardian of:	Date:
According to your child's health records, he has an allergy to:	
Please provide us with more information about your child's health needs by respondent to the school office.	onding to the following questions and returning this
1) When and how did you first become aware of the allergy?	
2) When was the last time your child had a reaction?	
3) Please describe the signs and symptoms of the reaction.	
4) What medical treatment was provided and by whom?	
5) If medication is or may be required while your child is at school, the enclosed completed by a licensed medical provider and parent/guardian, along with the me	
6) Please describe the steps you would like us to take if your child is exposed to t action plan)	his allergen while at school. (e.g. follow emergency
action plans	
Parent or Guardian Signature:	Date:
Print Name:	

Procedures for Managing Life-Threatening Food Allergies in Illinois Schools (sample) Illinois State Board of Education and Illinois Department of Public Health

ILLINOIS FOOD ALLERGY EMERGENCY ACTION PLAN

Parent/Guardian Signature:__

AND TREATMENT AUTHORIZATION	TION	LAN	l			Child's
NAME:	D.O.B:_	/		1		Photograph
TEACHER:	GRADE:					
ALLERGY TO:						
Asthma: ☐ Yes (higher risk for a severe reaction) ☐ No		Weigh	nt:	lbs		
Mouth: Itchy mouth Skin: A few hives around mouth/face, mild itch	ANTIHIS	, alert h	- E - // - // - *In r **W	Call 911 Begin Moni Additional r Antihistami nhaler (bro halers/bronch not to be dep reaction (anap /hen in doubt, rapidly	itoring (medicatine prochodil productors) use epin become resistants	lator) if asthma and antihistamines are bon to treat a severe → Use Epinephrine.* ephrine. Symptoms can more severe.**
Gut: Mild nausea/discomfort IF SYMPTOMS PROGRESS (see above), INJECT EPINEPHRINE If checked, give epinephrine for ANY symptoms if the allergen was likely eaten. If checked, give epinephrine before symptoms if the allergen was definitely eaten.						
MEDICATIONS/DOSES	ills ii tile	allerge	II was	s definitely	caten	
EPINEPHRINE (BRAND AND DOSE):						
ANTIHISTAMINE (BRAND AND DOSE):						
Other (e.g., inhaler-bronchodilator if asthma):						
MONITORING: Stay with the child. Tell rescue squad epinephrine was given. A second dose of epinephrine can be given a few minutes or more after the first if symptoms persist or recur. For a severe reaction, consider keeping child lying on back with legs raised. Treat child even if parents cannot be reached.						
☐ Student may self-carry epinephrine	□ Stu	dent ma	ay sel	f-administe	r epine	phrine
CONTACTS: Call 911 Rescue squad: ()		_				
Parent/Guardian: P	Ph: ()_					
Name/Relationship: P	Ph: ()_					
Name/Relationship: P	Ph: ()_					*
Licensed Healthcare Provider Signature:(Required)	_Phone:			Dat	e:	
I hereby authorize the school district staff members to take whatever action in their judgment may be necessary in supplying emergency medical services consistent with this plan, including the administration of medication to my child. I understand that the Local Governmental and Governmental Employees Tort Immunity Act protects staff members from liability arising from actions consistent with this plan. I also hereby authorize the school district staff members to disclose my child's protected health information to chaperones and other non-employee volunteers at the school or at school events and field trips to the extent necessary for the protection, prevention of an allergic reaction, or emergency treatment of my child and for the implementation of this plan.						

_Date:__

DOCUMENTATION

- Gather accurate information about the reaction, including who assisted in the medical intervention and who witnessed the
 event.
- Save food eaten before the reaction, place in a plastic zipper bag (e.g., Ziploc bag) and freeze for analysis.
- If food was provided by school cafeteria, review food labels with head cook.
- Follow-up:
 - Review facts about the reaction with the student and parents and provide the facts to those who witnessed the reaction or are involved with the student, on a need-to-know basis. Explanations will be age-appropriate.
 - Amend the Emergency Action Plan (EAP), Individual Health Care Plan (IHCP) and/or 504 Plan as needed.
 - Specify any changes to prevent another reaction.

TRAINED STAFF MEMBERS	
Name:	Room:
Name:	Room:
Name:	Room:
LOCATION OF MEDICATION	
☐ Student to carry	
☐ Health Office/Designated Area for Medication	
Other:	

ADDITIONAL RESOURCES

American Academy of Allergy, Asthma and Immunology (AAAAI)

414.272.6071

http://www.aaaai.org

http://www.aaaai.org/patients/resources/fact_sheets/food_allergy.pdf

http://www.aaaai.org/members/allied health/tool kit/ppt/

Children's Memorial Hospital

800.543.7362 (800.KIDS DOC®)

http://www.childrensmemorial.org

Food Allergy Initiative (FAI)

212.207.1974

http://www.faiusa.org

Food Allergy and Anaphylaxis Network (FAAN)

800.929.4040

http://www.foodallergy.org

This document is based on input from medical professionals including Physicians, APNs, RNs and certified school nurses. It is meant to be useful for anyone with any level of training in dealing with a food allergy reaction.